

SANDHYA ENTERPRISES

AN ISO 9001:2015 Certified Company

*# 5-24-1223/5/1, Ambedkar Nagar Gajularamaram, Gajularamaram, Near of UMCC Hoptial ,
Qutuulapur Mandal R.R. Dist Hyderabad -500055 Telangana State India.*

Contact No:9652998932, 95501921831,

Email: sandhyapprises@gmail.com, sandhyarubber@gmail.com,

Wessite:www.sandhyafex.com, www.sandhyaenterprises.co.in

AIR and Water Textile Braided Ruber Hose

Make: "SANDHYAFEX"



SANDHYAFLEX SANDHYAFEX SANDHYAFLEX SANDHYFLEX SANDHYAFLEX SANDHYAFES



SANDHYAFLEX SANDHYAFEX SANDHYAFLEX SANDHYFLEX SANDHYAFLEX SANDHYAFES



SANDHYAFLEX SANDHYAFEX SANDHYAFLEX SANDHYFLEX SANDHYAFLEX SANDHYAFES



i SANDHYAFLEX SANDHYAFEX SANDHYAFLEX SANDHYFLEX SANDHYAFLEX SANDHYAFES



SANDHYAFLEX SANDHYAFEX SANDHYAFLEX SANDHYFLEX SANDHYAFLEX SANDHYAFES



SANDHYAFLEX SANDHYAFEX SANDHYAFLEX SANDHYFLEX SANDHYAFLEX SANDHYAFES



SANDHYAFLEX SANDHYAFEX SANDHYAFLEX SANDHYFLEX SANDHYAFLEX SANDHYAFES



SANDHYAFLEX SANDHYAFEX SANDHYAFLEX SANDHYFLEX SANDHYAFLEX SANDHYAFES

Rubber [Air Hose](#)

Conforming to IS:446 / 1987 TYPE 1, 2 & 3

Application: Rubber Air Hose India is used in multiple applications with compressors and other equipments as a pneumatic tools with type 1 & 2. Type 3 hose finds its used in deep excavation operations, mines, dams, wherever drilling is required in hilly and rocky terrains. Rubber Hose India is a credible Rubber Pipe manufacturers in Delhi. We offers a wide range of Rubber Air Hose Pipe all over the world.

Construction:

Lining

: Smooth lining of suitable rubber compounds with good oxidation resistance. In addition for Type 3 hose, lining is resistance to oil mist.

Reinforcement

: Plies of rubber impregnated woven textile or braided high strength natural/synthetic fibre.

Cover

: Smooth/fluted/cloth marked finish, suitable rubber compound resistant to abrasion and weather.

Pressures:

Type 1 for a W.P. 0.7MPa & Min. B.P. 2.8MPa.

Type 2 for a W.P. 1.0MPa & Min. B.P. 4.0MPa.

Type 3 for a W.P. 1.4MPa & Min. B.P. 5.6MPa

General

Purpose

Rubber **Water**

Conforming to IS:444/1987 TYPE 1,2,3A & 3B

Application: General purpose rubber Water hose ISI india is used for water delivery purpose in Railways, Industries, Dams, Mines, Horticulture, Irrigation, Fire fighting, Construction Sites, Car Washing, De-watering etc. Paras Rubber Hose is a credible Rubber Hose manufacturers in India. We offers a wide range of General purpose rubber hose all over the world.

Construction:

Lining

: A rubber inner lining smooth in bore and free from air blisters, porosity splits made by natural/synthetic/ blend rubber compound.

Reinforcement

: Plies of rubber impregnated woven textiles or braided high strength natural/synthetic yarns.

Cover

: Smooth/fluted/cloth marked finish, free from air blisters, porosity and any other visible defects, and resistant to abrasion, ozone, oxidation, heat & weather.

Pressures:

Type 1 - W.P. 0.60 MPa & Min. B.P. 1.90 MPa

Type 2 - W.P. 1.00 MPa & Min. B.P. 3.15 MPa.

Type3A & B - W.P. 2.50 MPa & Min. B.P. 8.00 MPa

Air/Rock Drill Hoses W.P 35 Bar

Application: Rock Drill Hydraulic Hoses are used for various applications like Construction work, Road building, Tunneling ,Service stations for tyre inflation,Rock drilling applications in mines etc. Paras Rubber Industries is a credible Rubber Hose Pipe manufacturer in India. We offers a wide range of Rock Drill Hydraulic Hoses by using high grade material.

Construction:

Lining

: Synthetic oil resistant rubber

Reinforcement

: one High tensile steel wire braid.

Cover

: Abrasion, ozone and weather resistant.

Ambient Temp.

: 40 deg. C + 100 deg. C.