



SANDHYA ENTERPRISES

Plot No 5-24-1223/5/1, Ambedkar Nagar,
Gajuramaram,
Jeedimetla,500055, Hyderabad,Telangana State. India

EPDM TYTON RUBBER GASKET
IS: 5382/1985



Rubber Gaskets

Manufacturer of Quality Rubber Gaskets like Push On Joint (Tyton), 'O' Rings for C.I.D. Joints & RCC Spun Pipes, M/J Gaskets, Flat Gaskets for Flanged Joints and various other custom made Rubber Gaskets. All Rubber Gaskets will bear ISI Certification Mark and conform to IS: 5382/1985 in Quality. We also possess WRAS Certificate and therefore you are assured that our Rubber Gaskets will never contaminate the flowing drinking water when coming when it comes in contact with them. We also manufacture Glass Separators, Rubber Inserts, Square Gaskets, Rubber Bushes, Rubber Cords, Oil Seals, Anti Vibration Rubber Pads etc.

F. C. Gaskets

F.C. Gaskets are designed for Jiffy Collar Coupling and made out of NR, SBR, EPDM Polymers. Gaskets are available in all standard sizes from 80 mm to 1000 mm dia NB.

Flat Rubber Gaskets

Flat Rubber Gaskets (of 3/6mm dual thickness) are designed to make Flanged Joints and are made out of NR, SBR, EPDM Polymers. The thickness around sealing area is kept at 6 mm to account for possible machining irregularities on mating Flanges. Gaskets are available in all standard sizes from 80 mm to 1000 mm dia NB.

LRC Gaskets

LRC Gaskets are designed for use in Jiffy Socket Leak Repair Clamps and are specially designed to facilitate permanent repair of leakages in Socket / Spigot Joints in Pipes and Fittings. The Gaskets are normally made out of EPDM Polymer and can also be made out other Polymers. Gaskets are available in all standard sizes from 80 mm to 1000 mm dia NB.

Modified J - II Gaskets

Modified J – II Gaskets are designed for Jiffy II M/J Fittings and are made out of EPDM Polymer. This Gasket used in pipe-fittings industries. Gaskets are available in all standard sizes from 80 mm to 300 mm dia NB.

Rubber Gasket for M.J Joints

These conical shaped M/J Rubber Gaskets are designed for use in Mechanical Joint pipe fittings and are manufactured out of EPDM Polymer. The Gaskets are interchangeable and are available in all standard sizes from 80 mm dia to 1000 mm dia NB.

Rubber Gasket for Push-on Joints (T-Joint)

Rubber Gaskets for Push on Joint (Tyton Gasket) are made out of NR, SBR, EPDM Polymer and are suitable for jointing Tyton Joint C.I. / D.I. Pipes. Gaskets are available in all standard sizes from 80 mm to 1000 mm dia NB.

Sealing O Rings

Rubber O Rings made out of NR, SBR, EPDM, . These Gaskets are used in C.I. 'D' Joints A.C. Pipes and RCC pressure pipes. Gaskets are available in all standard sizes from 80 mm to 2000 mm dia NB.