




SANDHYA ENTERPRISES



5-24-1223/5/1, Ambedkar Nagar, Gajularamaram, Hyderabad -500055.

AN ISO:9001:2015 Certified Company

E-mail : sandhyaprises@gmail.com Visit Us : www.sandhyaflex.com

Contact No:9652998932,9550921831



SANDHYA ENTERPRISES

Elatomeric Bridge Bearing

Sandhya Enterprises AN ISO:9001;2015 Certified Company is manufacture and Supplier of Elatomeric Bridge Bearing as per IRC 83 (Part II) 2015, MORTH and UIC 772 2R Specification:

Thickness:22mm to 144mm max

Width:100mm to 1000mm Max

Length:100mm to 1500mm Max

Hardness:55 to 65 IRHD

Tensile Strength:17.0MPa min

Elongation at Break:400% min

Adhesion Strenght:7kn/M


Ash Contact:5% max

Polymers : CR

Polymer Percentage:60%


Shear Modulus 0.8MPa to 1.2MPa

Shape Factor for Elastic Modulus:6 to 12




Strip Seal Expansion Joint

Sandhya Enterprises AN ISO:9001;2015 Certified Company is manufacture and Supplier of Strip Seal Expansion Joint as per IRC 83 (Part II) 2015, MORTH and UIC 772 2R Specification: Gap 40mm and 70 and 80mm movement, 65mm and 75mm Edges Beam with 16mm Anchoring Rod. Neoprene Rubber Strip as per IRC 83 (Part II)2015 Specification)





- 1.Edge beam shall be placed in such a manner that the grooves are positioned properly.
- 2.Steel structure and main reinforcement shall be anchored with proper welding.
- 3.Alignment shall be checked for both steel structures, if required by using suitable device.
- 4.Recess shall be filled with high quality of the concrete not less than M 35 grade.
- 5.If any installation brackets were used, shall be removed after the concrete has cured.
- 6.SANDHYAFLEX elastomeric strip seal shall be cut into the required length and inserted between the beams by using the proper device and to be ensured that the bulb of the seal is getting into the steel grooves of the both edge beams.
- 7.When the recess concrete has become set, a sturdy ramp shall be placed over the joint to protect the exposed steel beams and the elastomeric seal from the traffic.
- 8.Without carriageway surfacing, expansion joint shall not be exposed to traffic loading.



Compression Seal Expansion Joint

Sandhya Enterprises AN ISO:9001;2015 Certified Company is manufactures and Supplier of Compression Seal Expansion Joint as per IRC 83 (Part II) 2015, MORTH and UIC 772 2R Specification: Gap 40mm and 70 and 80mm movement, 100mm Edges Beam with 16mm Anchoring Rod. Neoprene Rubber Strip as per IRC 83 (Part II) 2015 Specification)






SLAB SEAL EXPANSION JOINT

Sandhya Enterprises AN ISO:9001;2015 Certified Company is manufacture and Supplier of Slab Seal Expansion Joint as per IRC 83 (Part II) 2015, MORTH and UIC 772 2R Specification: Size:320mm Width x50mm Thickness x 1000mm (LG)

OMEGA SEAL EXPANSION JOINT

Sandhya Enterprises AN ISO:9001;2015 Certified Company is manufacture and Supplier of Slab Seal Expansion Joint as per IRC 83 (Part II) 2015, MORTH and UIC 772 2R Specification:



- 1.Surface shall be 1% slope in order to get water drained as shown in figure.
- 2.Steel bolt shall be inserted into the recess made in the deck and to be filled with M 35 grade concrete.
- 3.Kantaflex cap seal to be positioned on both sides of the decks such a manner that the omega shape covers the gap and the plain surface are perfectly sat on the deck slab.
- 4.Galvanized steel plate(80 X 80mm) having oblong hole (40 X 20mm) to be placed on the plain surface of the seals at both sides, such a manner the bolt is inserted through the oblong hole.Seal also to be punched with a hole suiting to oblong hole of the steel plate to enable to get inserted through the bolt.
- 5.Nut to be tightened on every bolt properly and tack welded to ensure the locking.
- 6.On completion of installation, every aspects to be checked for proper installation.
- 7.wearing coat shall be done with proper care without disturbing the seal.




DRAINAGE SPOUT

A drainage spout is a vertical pipe for carrying rainwater down from a platform. It is made from mild steel and galvanized to prevent corrosion or rusting due to water flowing through the pipe. Drainage spouts are manufactured and supplied according to MORTH specifications. Our range of Deranges Spout and as per customers Drg.


RCC Construction Products

1. PVC WATER STOPPER

A. PVC Water Stopper with Centre Bulb



1.	SANDHYAFLEX -PVCWSCB-150-6" (150mm) x 5mm
2.	SANDHYAFLEX -PVCWSTCB150-6" (150mm) x 6mm
3.	SANDHYAFLEX-PVCWSCB150-6" (150mm) x 8mm
4.	SANDHYAFLEX-PVCWSCB230-9" (230mm) x 5mm
5.	SANDHYAFLEX-PVCWSCB230-9" (230mm) x 6mm
6.	SANDHYAFLEX-PVCWSCB230-9" (230mm) x 8mm
7.	SANDHYAFLEX-PVCWSCB230-9" (230mm) x 10mm
8.	SANDHYAFLEX-PVCWSCB300-12" (305mm) x 8mm
9.	SANDHYAFLEX-PVCWSCB300-12" (305mm) x 10mm
10.	SANDHYAFLEX-PVCWSCB300-12" (305mm) x 12mm



B. PVC Water Stopper Dumbell

S.No.	SIZE
1.	SANDHYAFLEX-DBTPVCWAT150-6" (150mm) x 6mm
2.	SANDHYAFLEX-DBTPVCWS-230-9" (230mm) x 6mm
3.	SANDHYAFLEX-DBTPVCWS-250-10" (250mm) x 8mm
4.	SANDHYAFLEX-DBTPVCWS-305-12" (305mm) x 8mm



C. PVC Water Stopper Kiker Type

S.No.	SIZE
1.	SANDHYAFLEX-KTPVCWS230-9" (230mm) x 8mm
2.	SANDHYAFLEX-KTPVCWS300-12" (305mm) x 8mm

2.MASTIC PAD

"JOLLY BOARD" Expansion Joint Filler Board

"BAGASS BOARD" Expansion Joint Filler Board

1.10mm x 2ft x 4ft

2.12mmx 2ft x4ft

3.16mmx 2ft x 4ft

4.18mm x 2ft x 4ft

5.20mm x 2ft x 4ft

6.22mm x 2ft x 4ft

7.25mmx 2ft x 4ft

8.50mmx 2ft x4ft

ShaliTex Expansion Joint Filler Board

1.12mmx 1.2Mtr x1.2Mtr

2.16mm x 1.2Mtr x1.2Mtr

3.18.0mmx 1.2Mtr x1.2Mtr

4.20.0mmx 1.2Mtx1.2Mtr

5.25.0mm x 1.2Mtr x 1.2Mtr

6.50.0mm x 1.2Mtr x 1.2Mtr

DURAbordHD100' SUPREME Expansion Joint Filler Board


1.12mmx 1.2Mtr x2.4Mtr

2.16mmx 1.2Mtr x2.4Mtr

3.20mm x 1.2Mtr x 2.4Mtr

4.25mmx 1.2Mtr x2.4Mtr

5.50mmx1.2Mtr x2.4Mtr



LDPE SHEET
SANDHYA ENTERPRISES Supplier of LDPE Sheet

Make: "BHARAT"

Color :1. Black,2. Blue, Trasparent and 4. Off White

S.No	Size In Microns	GSM	Packing
1	50	50	In Roll
2	100	100	In Roll
3	125	125	In Roll
4	200	200	In Roll
5	250	250	In Roll
6	400	400	In Roll
7	500	500	In Roll
8	600	600	In Roll
9	700	700	In Roll
10	800	800	In Roll
11	900	900	In Roll
12	1000	1000	In Roll

LDPE SHEET



DAM GATE SEAL

Dam Gate Seal as per IS:11855

SANDHYAFLEX Bulb Seal

SANDHYAFELX Side Seal

SANDHYAFLEX Double Steam Bulb Seal

SANDHYAFLEX CORNER SEAL

SANDHYAFLEX Brass Cladded Rubber Seal

SANDHYAFELX SS Cladded Rubber Seal

SANDHYAFLEX PTFE Cladded RUBBER SEAL



PIPE LINE DI PIPE GASKET

Sandhya Enterprises AN ISO:9001;2015 Certified Company is manufacture and Supplier of DI Pipe Gasket (EPDM TYTON) as per IS:5382-2003 Specification:

Size:80mm To 2000mm

For Type 2

Hardness- 50 Shore A

Tensile Strength-11.0MPa

Elongation at Break-400%

For Type 5

Hardness- 80 Shore A

Tensile Strength-9.0MPa

Elongation at Break-125%



Cement Feeding Rubber Hose

Enterprises AN ISO:9001;2015 Certified Company is manufacture and Supplier of Cement Feeding Rubber Hose as per IS:5137:990 Specification:

Size: 3" ID to 16" ID

End Fitting: MS Flange as per ASA 150 # ANSI 16.5 Drilled and DIN Specification.

Working Pressure -10 to 15kg/cm²

Color: Black

Vaccum:500 to 700hg

Temperature- 150Deg C

Top: Plain and Corrugated.

Lining : Synthetic Rubber High Ablation Resistance.

Reinforcement: High Quality and Heat Resistance Fabric and Tyre Cord Reinforcement.

Helical Wire: 16 WWG to 8 SWG High Tensile Spring Helical Wire

Cover: Weather Resistance Synthetic Rubber

REGULAR SIZE:

SANDHYAFLEX-CFRH-80NB-3Inch ID

SANDHYAFLEX-CFRH-100NB-4Inch ID

SANDHYAFLEX-CFRH-125NB-5Inch ID

SANDHYAFLEX-CFRH-150NB-6Inch ID

SANDHYAFLEX-CFRH-200NB-8Inch ID

SANDHYAFLEX-CFRH-250NB-10Inch ID

SANDHYAFLEX-CFRH-300NB-12Inch ID

SANDHYAFLEX-CFRH-140NB-14Inch ID

SANDHYAFLEX-CFRH-400NB-16Inch ID



Bulker Unloading Cement Fly Ash Rubber Hose

Sandhya Enterprises AN ISO:9001;2015 Certified Company is manufacture and Supplier of Bulker Unloading Cement Fly Ash Rubber Hose as per IS:5137:990 Specification:

Size: 3" ID to 6" ID

End Fitting: MS Flange as per ASA 150 # ANSI 16.5 Drilled and DIN Specification.

Working Pressure -10 to 15kg/cm²

Color: Black

Vaccum:500 to 700hg

Temperature- 150Deg C

Top: Plain and Corrugated.

Lining : Synthetic Rubber High Ablation Resistance.

Reinforcement: High Quality and Heat Resistance Fabric and Tyre Cord Reinforcement.

Helical Wire: 16 WWG to 8 SWG High Tensile Spring Helical Wire

Cover: Weather Resistance Synthetic Rubber

SANDHYAFLEX-BUCFFARH-80NB-3Inch ID

SANDHYAFLEX-BUCFFARH-100NB-4Inch ID

SANDHYAFLEX-BUCFFARH-125NB-5Inch ID

SANDHYAFLEX-BUCFFARH-150NB-6Inch ID



Slurry and Mud Rubber Hose

Sandhya Enterprises AN ISO:9001;2015 Certified Company is manufacture and Supplier of Slurry and Mud Rubber Hose as per IS:5137:990 Specification:

Size: 6" ID to 10" ID

End Fitting: MS Flange as per ASA 150 # ANSI 16.5 Drilled and DIN Specification.

Working Pressure -10 to 25kg/cm²

Color: Black

Vaccum:500 to 700hg

Temperature- 150Deg C

Top: Plain and Corrugated.

Lining : Synthetic Rubber High Ablation Resistance.

Reinforcement: High Quality and Heat Resistance Fabric and Tyre Cord Reinforcement.

Helical Wire:10 WWG to 8 SWG High Tensile Spring Helical Wire

Cover: Weather Resistance Synthetic Rubber

REGULAR SIZE:

SANDHYAFLEX-SMRH -150NB -6 InchID

SANDHYAFLEX-SMRH -200NB -8 Inch ID

SANDHYAFLEX-SMRH -250NB -10 Inch ID



Road and Rail Tanker Oil Suction and Discharge Rubber Hose

Sandhya Enterprises AN ISO:9001;2015 Certified Company is manufacture and Supplier of Road and Rail Ranker Oil Suction and Discharge Rubber Hose as per IS:10733 Specification:

Construction:

The tube of fuel dispensing hoses contains uniform seamless lining of top quality rubber that is completely resistant to petroleum products.

Reinforcement : Plies of woven textile which contains rubber on both the sides. It is supported by the helical wire included in fabric plies.

Electrical Bonding : Low resistant electrical bonding wire is in incorporated between the reinforcement plies to provide electrical continuity along the whole length of the hose.

Cover: a great smooth synthetic compound which is highly resistant to extreme weather, abrasion, petroleum products, wear and tear.

End Connection : The hose is available with or without flanges and with built in nipples.

APPLICATION

The application is in applying the petroleum products from road rail tanker carrying these products. It is mainly used for the loading and unloading of the products such as petrol and diesel.



TECHNICAL SPECIFICATION

SIZE		Working Pressure	Bursting Pressure	Working Pressure	Bursting Pressure	Working Pressure	Bursting Pressure
MM	INCH	7 Kgf/cm ²	28 Kgf/cm ²	10 Kgf/cm ²	40 Kgf/cm ²	15 Kgf/cm ²	60 Kgf/cm ²
63.00	2.1/2	8.5	6.5	10.5	8.5	-	-
75.00	3	10.0	7.5	12.0	10.0	-	-

Oil Suction and Discharge Discharge Rubber Hose

Sandhya Enterprises AN ISO:9001;2015 Certified Company is manufacture and Supplier of Oil Suction and Discharge Rubber Hose as per IS:8189 Specification:

Construction:

The tube of fuel dispensing hoses contains uniform seamless lining of top quality rubber that is completely resistant to petroleum products.

Reinforcement : Plies of woven textile which contains rubber on both the sides. It is supported by the helical wire included in fabric plies.


Electrical Bonding : Low resistant electrical bonding wire is in incorporated between the reinforcement plies to provide electrical continuity along the whole length of the hose.

Cover: a great smooth synthetic compound which is highly resistant to extreme weather, abrasion, petroleum products, wear and tear.

End Connection : The hose is available with or without flanges and with built in nipples.

APPLICATION

The application is in applying the petroleum products from road rail tanker carrying these products. It is mainly used for the loading and unloading of the products such as petrol and diesel.



TECHNICAL SPECIFICATION

SIZE		Working Pressure 7 Kgf/cm ²	Bursting Pressure 28 Kgf/cm ²	Working Pressure 10 Kgf/cm ²	Bursting Pressure 40 Kgf/cm ²	Working Pressure 15 Kgf/cm ²	Bursting Pressure 60 Kgf/cm ²
M M	IN CH						
63.00	2.1/2	8.5	6.5	10.5	8.5	-	-
75.00	3	10.0	7.5	12.0	10.0	-	-
100.00	4	15.0	11.0	18.0	14.0	-	-
150.00	6	30.0	22.5	36.0	24.0	48.0	31.5
200.00	8	45.0	28.5	51.0	36.0	63.0	43.5
250.00	10	-	-	66.0	49.0	78.0	66.0
300.00	12	-	-	-	-	-	-


Water Suction and Discharge Rubber Hose

WATER SUCTION & DISCHARGE HOSE, HEAVY DUTY

TYPE 1 ROUGH BORE, TYPE 2 SMOOTH BORE CONFORMING TO IS 3549/1983

APPLICATION

Water suction and discharge hose is designed for various applications that involve the suction and discharge of waste water, mud and sewage. The hose poses very flexible structure and properties so that it can be used in adverse conditions. The material used in manufacturing of it is resistant to abrasion and unwanted material. It can be used for deflooding, suction of waste water in construction works, mines and other heavy duty operations that involve removal of mud and waste water.



There are two types of hoses:

Type I comes with rough bore

Type II comes with smooth bore

TECHNICAL SPECIFICATION

SIZE		W . P. 7 Kgf/cm ²		W . P. 10 Kgf/cm ²		W . P. 15 Kgf/cm ²	
M M	inch	Proof Pressure Kgf/cm ²	Bursting Pressure Kgf/cm ²	Proof Pressure Kgf/cm ²	Bursting Pressure Kgf/cm ²	Proof Pressure Kgf/cm ²	Bursting Pressure Kgf/cm ²
38.00	1.1/4	10.5	21	15	30	22.5	45
50.00	2	10.5	21	15	30	22.5	45
63.00	2.1/2	10.5	21	15	30	22.5	45
75.00	3.0	10.5	21	15	30	22.5	45
100.00	4.0	10.5	21	15	30	22.5	45
100.00	5.0	10.5	21	15	30	22.5	45
150.00	6.0	10.5	21	15	30	22.5	45
200.00	8.0	10.5	21	15	30	22.5	45
250.00	10.0	10.5	21	15	30	22.5	45
300.00	12.0	10.5	21	15	30	22.5	45

Water Delivery Rubber Hose Pipe

Enterprises AN ISO:9001;2015 Certified Company is manufacture and Supplier of Water Delivery Rubber Hose Pipe Specification:

Size: 3" ID to 16" ID

EWorking Pressure -2.5 to 5kg/cm²

Color: Black

Temperature- 100Deg C

Top: Plain

Lining : Synthetic Rubber High Water Resistance

Reinforcement: High Quality and Heat Resistance Fabric and Tyre Cord Reinforcement.

Cover: Weather Resistance Synthetic Rubber

REGULAR SIZE:

SANDHYAFLEX-CFRH-80NB-3Inch ID

SANDHYAFLEX-CFRH-100NB-4Inch ID

SANDHYAFLEX-CFRH-125NB-5Inch ID

SANDHYAFLEX-CFRH-150NB-6Inch ID

SANDHYAFLEX-CFRH-200NB-8Inch ID

SANDHYAFLEX-CFRH-250NB-10Inch ID

SANDHYAFLEX-CFRH-300NB-12Inch ID

SANDHYAFLEX-CFRH-140NB-14Inch ID

SANDHYAFLEX-CFRH-400NB-16Inch ID



SAND BLASTING RUBBER HOSE

RUBBER HOSE FOR SAND BLASTING

As per IS 5894/90

APPLICATION

These rubber hose for sand and blasting are used to carry the abrasive material such as sand at a very high pressure. The application is in ordinance factories, manufacturing workshops and other heavy engineering realted works. The level of strength os this hose is very high so that it can satisfy the need of the work. Manufactured to provide the top quality to the hose.



TECHNICAL SPECIFICATION

SIZE		TYPE-I			TYPE-II		
MM	INCH	Working Pressure Kgf/cm ²	Proof Pressure Kgf/cm ²	Bursting Pressure Kgf/cm ²	Working Pressure Kgf/cm ²	Proof Pressure Kgf/cm ²	Bursting Pressure Kgf/cm ²
12.50	1/2	7	17.5	35	10	25	50
20.00	3/4	7	17.5	35	10	25	50
25.00	1.0	7	17.5	35	10	25	50
31.50	1.1/4	7	17.5	35	10	25	50
38.00	1.1/2	7	17.5	35	10	25	50
45.00	1.3/4	7	17.5	35	10	25	50
50.00	2.0	7	17.5	35	10	25	50
63.00	2.1/2	7	17.5	35	10	25	50
75.00	3.0	7	17.5	35	10	25	50

Chemical Rubber Hose



The **rubber hose for chemicals** are specially designed for the transfer of chemicals and acids. They are apt for any kind of application where chemicals are transferred through suction or pumping. Now chemical rubber hoses have to bear abrasion, heat and many more aggressive and adverse conditions so these are designed using high quality synthetic rubber.

Rubber hose is designed to carry material/chemicals in the factories during the production process. Our premium quality rubber hoses are resistant to the material they are carrying. We are one of the best brands in the area of rubber hose manufacturing and our products are trusted worldwide.

APPLICATION

Transfer of acids and chemicals through pumping, suction and discharge.

TECHNICAL SPECIFICATION

SIZE		No. of BRAND	PLY
MM	INCH		
12.50	½	2	2
20.00	¾	2	3
25.00	1	2	3
31.50	1.¼	2	3
35.00	1.⅜	2	3
38.00	1.½	2	3
45.00	1.¾	2	3
50.00	2	3	4
56.00	2.¼	3	4
60.00	2.⅜	3	4
63.00	2.½	3	4
70.00	2.¾	-	4
75.00	3	-	5
88.00	3.½	-	5
100.00	4	-	5
112.00	4.¼	-	5
125.00	5	-	6
150.00	6	-	7
200.00	8	-	10
250.00	10	-	10
300.00	12	-	12

Carbon Free Rubber Hose



CARBON FREE RUBBER HOSE

Carbon free rubber hoses are available with or without asbestos cover both.

APPLICATION

These are specially designed hoses to carry cables that can conduct upto 11KVA and above.

FEATURES

A synthetic carbon free white tube is used inside to provide the strength and resistance against high heat and electricity.

Asbestos cover is provided on the outer side for longer life.

Can handle the working pressure ranging from 7 kg/cm² to 15 kg/cm²

TECHNICAL SPECIFICATION

Nominal bore (in mm)	Tolerance on Nominal bore (in mm)	Number of reinforcement (ply)	Working Pressure (Kg.f/cm ²)	Testing Pressure (Kg.f/cm ²)	Bursting Pressure (Kg.f/cm ²)
12.5	0.75	3	10	20	40
16.0	0.75	3	10	20	40
20.0	0.75	4	10	20	40
25.0	1.25	4	10	20	40
28.0	1.25	4	10	20	40
31.0	1.25	4	10	20	40
35.0	2.00	4	10	20	40
38.0	2.00	4	10	20	40
50.0	2.00	5	10	20	40
56.0	2.00	5	10	20	40
60.0	2.50	5	10	20	40
63.0	2.50	6	10	20	40
70.0	2.50	6	10	20	40
75.0	2.50	6	10	20	40
88.0	2.50	6	10	20	40
100.0	2.50	6	10	20	40

TEXTILE BRAIDED AIR RUBBER HOSE

APPLICATION

Rubber Air Hose have numerous applications in pneumatic industry. Type-I and Type-II can be used for various purposes. These hoses comes with strength and endurance that is needed in applications related to compressor and pneumatics. These can be used in various types of compressors.




HYDROSTATIC TESTING

The standard stock lengths that are available with us to satisfy your needs are 50 ft, 75 ft and 100 ft.

SIZE MM INCH	TYPE-I		TYPE-II		TYPE-III	
	Working Pressure Kgf/cm ²	Bursting Pressure Kgf/cm ²	Working Pressure Kgf/cm ²	Bursting Pressure Kgf/cm ²	Working Pressure Kgf/cm ²	Bursting Pressure Kgf/cm ²
1/4	7	28	10	40	14	56
5/16	7	28	10	40	14	56
3/8	7	28	10	40	14	56
1/2	7	28	10	40	14	56
3/4	7	28	10	40	14	56
1	7	28	10	40	14	56
1.1/4	7	28	10	40	14	56
1.1/2	7	28	10	40	14	56
2	7	28	10	40	14	56
2.1/2	7	28	10	40	14	56
3	7	28	10	40	14	56

SIZE		No. of BRAID
MM	INCH	
06.30	1/4	1
08.00	5/16	1
10.00	3/8	1
12.50	1/2	1
20.00	3/4	1
25.00	1	2
31.00	1.1/4	2
38.00	1.1/2	2
50.00	2	3
63.00	2.1/2	4
75.00	3	4

WELDING RUBBER HOSE as per IS:447:1988



Applications:

Rubber air hose for welding is used for wide variety of applications in welding and gas cutting operations. It is suitable for any type of industry where welding is required. It is very popular in automobile industry.

Construction Tube

This type of hose is manufactured using synthetic and natural rubber both and has uniform thickness throughout the hose. The covering is plain and smoothly finished and provides high tensile strength due to the use of synthetic yarn.

Reinforcement

High Tensile Synthetic yarn.

Cover

Blend of Natural & Synthetic rubber. Finish - Plain, Smooth, Fluted, Wrap finish.

Color

Blue color is used for oxygen and non fuel gases whereas the red color is used for fuel gases.

Temp

Can handle temperature from 400F to +1600F

SIZE M M	Working Pressure Kgf/cm ²	Proof Pressure Kgf/cm ²	Bursting Pressure Kgf/cm ²
5.0	12.5	25.0	50.0
6.3	12.5	25.0	50.0
8.0	12.5	25.0	50.0
10.0	12.5	25.0	50.0
12.5	12.5	25.0	50.0

RUBBER SPEED BREAKER

We Are The Leading Manufacturer of Speed Breaker in India.

SANDHYA ENTERPRISES Safety Solutions Have 2 Years good experience to provide all this material.

We have been able to Manufacturer of Speed Breaker in India cater to the various requirements of clients by providing a wide array of Rubber Speed Breker. Highly resistant to brutal weather conditions

and various impacts, these Rubber Speed Breaker are manufactured using superior-grade Rubber that is obtained from reliable vendors of the industry. Easy in installation, our offered Rubber Speed Breaker are modular and compact in design, which has affixed night vision reflectors with glass metals on both sides of Rubber Speed Breaker Ours is a prominent name of the industry, which is engaged in manufacturing, supplying, a qualitative range of Rubber

Speed Breakers. The offered array of Rubber Speed Breakers is manufactured by our professionals in complying to the international standards of quality. These speed breakers help in controlling traffic and accidents in roads. Further, our respected customers can avail these speed breakers from us at industry leading prices.

Speed Breakers : SANDHYA FLEX is the leading Manufacturer of Speed Breaker in India. We have wide range of speed breakers

Size 350 mm x 500 mm x 50 mm,

material : rubber.

color – yellow black with reflective cat eyes



Rubber Conveyor Belts

Rapid industrialisation has necessitated the use of conveyor Belts which have proved to be the most cost-effective system for transportation of raw material & finished goods in any form, for any application.

SANDHYA ENTERPRISES belting are manufactured in our most modern, fully automated plant, using the finest raw material inputs, under the strict vigil of qualified technical personnel.

Our Belts have found satisfactory customers in the Domestic and the International export market with our clientele ranging Iron & Steel Plants, Coal, Copper, Gold Mines, Cement Plants, Thermal

Plants, Fertilizers Plant and Ports to name a few. **SANDHYA ENTERPRISES** Conveyor Belts conform to all relevant Indian/International Standards and are manufactured in a wide range to suit all applications.



SPECIAL FEATURES

- ◆ Unique Carcass Construction
- ◆ Superior Adhesion Levels
- ◆ Improved Flex Life
- ◆ Low Belt Stretch
- ◆ Excellent Impact Resistance
- ◆ Improved Resistance to Mechanical Damage
- ◆ Mildew, Moisture & Rot Resistance
- ◆ Improved Resistance to Ozone and Ultra Violet Radiation
- ◆ Improved Efficiency of Joints
- ◆ Improved Tear Resistance & Excellent Troughability
- ◆ Suitable for all Applications

ANTI VIBRAITION RUBBER PAD

Sandhya Enterprises AN ISO: 9001;2015 Certified Company is manufacture and Supplier of Anti Vibration Rubber Pad as per Customer Requirement.

Size:1.150x150x12mm

2.150x150x25mm





**ZAXIS-450 RADIATOR
HOSE PIPE BOTTOM**



**ZAXIS-330-370 AIR-TURBO
HOSE PIPE**



**ZAXIS-120 RADIATOR
HOSE PIPE TOP
2021730-4618712**



**ZAXIS-75 RADIATOR
HOSE PIPE TOP**



**ZAXIS-120 AIR HOSE
SMALL**



**ZAXIS-120 RADIATOR
HOSE PIPE BOTTOM
3033315-4421864**



**ZAXIS-75 RADIATOR
HOSE PIPE BOTTOM**



**ZAXIS-330 RADIATOR
HOSE S TYPE (SMALL)
109361-0351**



HOSE PIPE



**ZAXIS-330 RADIATOR
HOSE PIPE BOTTOM
80977675**



HOSE PIPE



HOSE PIPE



ZAXIS-70 LOWER HOSE



ZAXIS-70-60 UPPER
HOSE
3091811



ZAXIS-120-130 AIR HOSE
4423995H



ZAXIS-70-60 LOWER
HOSE 4448661



ZAXIS--200-210-240-270
AIR INLET HOSE
4412520H



ZAXIS-200-210-240-250
UPPER HOSE 4636848



ZAXIS-200-3-210-3
AIR HOSE PIPE
4643560H



ZAXIS-200-3-210-3
AIR HOSE PIPE
4643558H



ZAXIS200-3-210-3
AIR HOSE PIPE
4643561H



ZAXIS-200-210-240-250-3
LOWER HOSE
3104768



ZAXIS-200-210-240-250-3
LOWER HOSE
3104768



ZAXIS-330 AIR HOSE



**ZAXIS-200,210,240 RADIATOR
HOSE PIPE BOTTOM
3088201**



**ZAXIS-330-3 AIR HOSE
4643572H**



ZAXIS-70 UPPER HOSE



**ZAXIS-450-460-470-480
UPPER HOSE
3087795**



**ZAXIS-450-460-470-480
LOWER HOSE
3089943**



**ZAXIS-330-1 LOWER
HOSE**



**ZAXIS-330-1 UPPER
HOSE**



**XA-186 COMPRESSOR
HOSE**



**XA-186 COMPRESSOR
HOSE WITH NIPPLE**



**POWER SCREEN HOSE
PIPE**



**TRIMMER 2X10MTRS
DUST COLLECTOR HOSE
PIPE**



**BEML-220 RADIATOR
HOSE PIPE TOP**



**VOLVO-210PRIME
RADIATOR HOSE PIPE
BOTTOM**



**VOLVO-360460 RADIATOR
HOSE TOP
14506515**



**VOLVO-460-D12D
UPPER HOSE**



**VOLVO-460-D12D LOWER
HOSE**



**VOLVO-210 AIR FILTER
HOSE 14606558**



**VOLVO-140 RADIATOR
HOSE**



**VOLVO-140 BLC UPPER
HOSE 14506004**



**VOLVO-140 BLC MIDDLE
HOSE
14506007**



**VOLVO-140 BLC LOWER
HOSE
14506005**




**VOLVO-55-EC55-EC60
LOWER HOSE
14503561**



**VOLVO-55-EC55- EC60
UPPER HOSE
14503559**



**VOLVO FM-400 RADIATOR
HOSE
20740344**



**VOLVO FM-400 HOSE
PIPE 20123031**



**VOLVO 360-460 AIR
CLEANER TO TURBO
HOSE**



**VOLVO 360,460 RADIATOR
PIPE HOSE BOTTOM
14506514**



HOSE PIPE



**VOLVO-210-240-290
BREATHER HOSE PIPE**



HOSE PIPE



**VOLVO210 BLC RADIATOR
HOSE PIPE TOP
14510585**



**VOLVO-210 BLC RADIATOR
HOSE PIPE BOTTOM
14510584**



VOLVO-210 AIR HOSE



**VOLVO-210 AIR HOSE
SMALL**



**VOLVO-360-460-12152
LOWER HOSE
14532052**



**VOLVO-210 PRIME
RADIATOR HOSE PIPE
TOP**



**AIR FILTER TO
ENGINE**



**VOLVO-360-460-12152
MIDDLE HOSE
14536069**



**VOLVO-360-460-12152
UPPER HOSE
14536066**



HOSE PIPE



HOSE PIPE



**VOLVO-240-290 RAD
HOSE PIPE BOT
VOE 14501342**



**VOLVO-240-290
RADIATOR HOSE L TYPE
14510779**



**VOLVO-360-460
RADIATOR HOSE
BOTTOM**



**VOLVO-460-D12
MIDDLE HOSE**



**VOLVO-210 INTER COOLER
HOSE (SPIRAL BLUE)
1410408**



**VOLVO S 20 R 19 P
HOSE SMALL RED**



**VOLVO-290 INTER
COOLER HOSE SM**

RUBBER EXPANSION BELLOW

Sandhya Enterprises AN ISO:9001;2015 Certified Company is manufacture and Supplier of Rubber Expansion Joint Bellow per customer Specification:

We offer ranges of standard as well as custom manufactured bellows to cater for many applications from heavy industry to food quality. The selection of bellows design, open:close ratios, stroke length, convolution width, split or endless configuration, and materials will depend on your specific application. Where molded bellows are not suitable, a range of hand-built rubber bellows are available including tapered and smooth bore.

Rubber Expansion Joints protect equipments and piping from damage caused by vibration and thermal movements. While not their primary purpose, they are also frequently used to accommodate equipment misalignments. Rubber expansion joints provide superior flexibility, movement absorption, and cycle life, while resisting chemical attack and abrasion. They are useful over a wide range of temperatures & pressures, making them the preferred expansion joint for most liquid and slurry applications, though gases & solids are also frequently conveyed by rubber expansion joints.

Function of rubber expansion joints :

- ◆ Damp oscillation, noise and vibration
- ◆ Compensate motion
- ◆ Compensate expansion caused by differences in temperature
- ◆ Reduce tension
- ◆ Compensate ground and foundation settling
- ◆ Compensate imprecise assembly
- ◆ Serve as assembly and disassembly aids
- ◆ Provide an elastic wall seal for penetration assemblies
- ◆ Compensate pipeline movements

Three features set Industrial Moulders Expansion Joint technology apart :



Screen Vibrating Rubber Beading

Sandhya Enterprises AN ISO:9001;2015 Certified Company is manufacture and Supplier of Screen Vibrating Rubber Beading per customer Specification:

1. Vibrating Screen Rubber Beading for Wire Mesh Regular size: Gap-10mm Dia-35mm, Hight-52mm
2. Vibrating Screen Rubber Beading for Wire Mesh Regular size: Gap-8mm Dia-31mm, Hight-53mm
3. Vibrating Screen Rubber Beading for Wire Mesh Regular size: Gap-7mm Dia-29mm, Hight-43mm
4. Vibrating Screen Rubber Beading for Wire Mesh Regular size: Gap-15mm Dia-29mm, Hight-33mm

Rubber Cord

Sandhya Enterprises AN ISO: 9001;2015 Certified Company is manufacture and Supplier of Rubber Cord as per Customer Requirement.

Size:2mm Dia to 100mm Dia

Hardness:25 to 80 Shore A

NR Rubber Cord


NBR Rubber Cord

Neoprene Rubber Cord

SBR Rubber Cord

EPMD Rubber Cord

Sponge Rubber Cord



RUBBER STRIP

Sandhya Enterprises AN ISO: 9001;2015 Certified Company is manufacture and Supplier of Rubber Strip as per Customer Requirement.

Hardness:25 to 80 Shore A

NR Rubber Strip

NBR Rubber Strip

Neoprene Rubber Strip

SBR Rubber Strip

EPMD Rubber Strip

Sponge Rubber Strip





**VOLVO-290 INTER
COOLER HOSE RED BIG
VOE 6084140**



**VOLVO-210 2 EARS
MANIFOLD HOSE
80 MM X 90 MM**



**VOLVO-210-240 3 EARS
MANIFOLD HOSE
VOE 20459248**



**VOLVO-140 2 EARS
MANIFOLD HOSE
80MM X 80 MM**



**VOLVO-140 4 EARS
MANIFOLD HOSE**



HOSE PIPE



**TAMROCK RADIATOR
HOSE L TYPE**



**TAMROCK RADIATOR
HOSE TOP NM**



**TAMROCK 5 HOSE KIT
2005 MODEL**



**TAMROCK RADIATOR
HOSE PIPE**



HOSE 3 INCH



**ACE-AXE 130 RADIATOR
HOSE PIPE TOP**



**PC-300-7 RADIATOR
HOSE PIPE BOTTOM
207-03-71232**



**PC-300-7 RADIATOR
HOSE PIPE TOP
207-03-71220**



HOSE PIPE



**PC-200-6 RADIATOR
HOSE PIPE TOP
20Y-03-28292**



**PC-200-6 OIL
LUBRICANT HOSE**



**PC-300-7 AIR
HOSE PIPE
207-01-72111**



**PC-71 RADIATOR HOSE
PIPE TOP
201-03N 1760**



**PC-71 TURBO
HOSE PIPE
201-01N-1160**



HOSE PIPE



**PC-130-7 RADIATOR
HOSE PIPE TOP
203-03-71310**



**PC-130-7 AIR-TURBO
HOSE PIPE**



**PC-300-7-360-7
PIPE 6743-11-4
6743-11-4**



PC-71 RADIATOR HOSE
PIPE BOTTOM
201-03N 1550



PC-300-6 AIR HOSE PIPE
6223-13-4730-4630



PC-300-7-360-7 AIR
HOSE PIPE
6743-11-4940 6743-11-4940



PC-300-7-360-7 AIR HOSE
PIPE 6743-11-4960-4743-11-
4961



HOSE PIPE



HOSE PIPE



50-41 RADIATOR
HOSE TOP
2031412



KOMATSU 511 GRADER
RADIATOR HOSE
23A-03-21220



KOMATSU GRADER 505
RADIATOR HOSE
PIPE BOTTOM



KOMATSU GRADER 511
RADIATOR HOSE
23A-03-21210



KOMATSU GRADER 623
RADIATOR HOSE PIPE



KOMATSU GRADER 505
RADIATOR HOSE
PIPE TOP

TATA



**TATA WHEEL LOADER
3036 AIR FILTER SUCTION
HOSE PIPE NM WE01060**



**TATA WHEEL LOADER
3036 BLACK S TYPE
HOSE WD01088**



**TATA WHEEL LOADER
3036 AIR FILTER
SUCTION HOSE**



**TATA WHEEL LOADER 3036
RADIATOR HOSE PIPE BOTTOM
WED01C16**



**TATA WHEEL LOADER
3036 RADIATOR HOSE
PIPE TOP 38H1164**



**TATA WHEEL LOADER
3036 AIR FILTER SUCTION
PIPE OLD MODEL**

KOBELCO



**KOBELCO-SK 350
RADIATOR HOSE PIPE
LC3640118P1**



**KOBELCO-350-8-330-8
UPPER HOSE
LC05P01464P1**



**KOBELCO-350-8-330-8
3-5-6 LOWER HOSE
YW05P01464P1**



HOSE PIPE



HOSE PIPE



**KOBELCO-350-8-330-8
RADIATOR HOSE
LS05P01464P1**



**KOBELCO-140 MAIN
SUCTION HOSE**



**KOBELCO-SK 210-8
HYDRAULIC MAIN SUCTION
HOSE YN30H01196P1**



**KOBELCO-100-120-120-2-
3-5-6 UPPER HOSE
YW05P01027P1**



**KOBELCO 200-8-210-8-
250-8 AIR HOSE PIPE
YN11901118P1**



**KOBELCO 320-1-2-3-310-
1-2-3 UPPER HOSE**



**KOBELCO 320-320-330-
350-360-6 UPPER HOSE
LC05P01086P1**



**KOBELCO 320-320-330-
350-360-6 LOWER HOSE 1
LC05P01034P1**



**KOBELCO 350-8-330-8
UPPER HOSE
LC05P01464P1**



**KOBELCO
350-8-330-8 LOWER
HOSE YN05P01422P1**



**KOBELCO 320-320-330-
350-360-6 LOWER HOSE
2 LC05P01087P1**



**KOBELCO 330-8-350-8
AIR HOSE PIPE
LC05P01526P1**



**KOBELCO 330-8-350-8 AIR
HOSE LC05P01355P1**



**KOBELCO-SK-850
RADIATOR HOSE
LV05P01232P1**



**KOBELCO-SK-480
RADIATOR HOSE
LS05P01394P1**



HOSE PIPE



**KOBELCO-SK 210 AIR
HOSE PIPE**



**KOBELCO-SK 210
RADIATOR HOSE PIPE
UPPER YN05P01479P1**



**KOBELCO-SK
RADIATOR HOSE
LS30H0119P1**

SANY



**SANY-225-8 UPPER HOSE
1BN6-46110**



**SANY-215 RADIATOR
HOSE BOTTOM**



**SANY-215 RADIATOR
HOSE PIPE**



**SANY-215C MIDDLE
HOSE 11N6-26010**



**SANY-215C UPPER HOSE
11N6-27110**



**SANY-225-8 LOWER
HOSE 11Q6-41110**



SANY-215C LOWER HOSE 11N6-23030



SANY-215 LOWER HOSE 11N6-26030



SANY-215-7C LOWER HOSE 11Q6-46011



SANY-215 UPPER HOSE 11NO-23010



SANY-215-7C MIDDLE HOSE 11Q6-41160



SANY-215-7C UPPER HOSE 1BQ6-46010



SANY HOSE PIPE (2)



SANY HOSE PIPE



JD-315 RADIATOR HOSE PIPE BOTTOM TE 20341



JD-315 MAIN SUCTION HOSE PIPE TC 20017



HOSE PIPE



JD-315 RADIATOR HOSE PIPE TC 20340



JD-315 (E) 2012
RADIATOR HOSE
BOTTOM



JCB 430Z RADIATOR
HOSE PIPE
629-00008



JCB 430
HOSE



JCB 430 Z RADIATOR
HOSE PIPE
629-00035



JCB 3DX RADIATOR
HOSE



JCB RAD



JCB RADIATOR HOSE



JCB L TYPE HOSE OM



JCB RAD



JCB 430Z RADIATOR
HOSE PIPE
629-00030



JCB 4 RING HOSE RED



JS-200 RAD
PIP



JS-200 RADIATOR HOSE
PIPE BOTTOM
229-01038



JS-140 RADIATOR HOSE
PIPE TOP
229-02547



JS-200-210 AIR HOSE
PIPE 229-01036



JS-210 RADIATOR HOSE
PIPE BOTTOM 834-10477



JS-210 RADIATOR HOSE
PIPE TOP
834-10476



JS-140 RADIATOR HOSE
PIPE TOP 229-02547



JS-200 RHP TOP
229/01037



JS-140 AIR HOSE
229/92335



HYUNDAI-R305-9T
MIDDLE HOSE



HYUNDAI-R220 LOWER
HOSE



HYUNDAI-R215-7 UPPER
HOSE
11N6-46111



HYUNDAI-R215-7 LOWER
HOSE
11N6-46100



HYUNDAI-R290-7-350-7
LOWER HOSE



HYUNDAI-R220-3-220-5
MIDDLE HOSE



HYUNDAI-R220-3-220-5
MIDDLE HOSE



HYUNDAI-R210 LOWER
HOSE



HYUNDAI-R290 UPPER
HOSE



HYUNDAI-R210 LOWER
HOSE



HYUNDAI-R-450-420-500
LOWER HOSE
11N8-45100



HYUNDAI-R450-420-500
UPPER HOSE
11N8-40081



HYUNDAI-R450-420-500
UPPER HOSE



HYUNDAI-R305-7
LOWER HOSE



HYUNDAI-R305-UPPER
HOSE



HYUNDAI-R305-UPPER
HOSE



**HYUNDAI-500 RADIATOR
HOSE PIPE**



**HYUNDAI-215-9 LOWER
HOSE 1BQ6-41150**



**HYUNDAI-R215-9
UPPER HOSE
1BN6-46110**



**HYUNDAI-R200-200-5-
210-5 UPPER HOSE
E111-4003**



**HYUNDAI-R200-5-210-5-
R200 LOWER HOSE
E111-4004**



**HYUNDAI-210 RADIATOR
HOSE PIPE TOP NM
11N6-40100**



**HYUNDAI-140 RADIATOR
HOSE PIPE TOP**



**HYUNDAI-110 RADIATOR
HOSE PIPE**



**HYUNDAI-110 AIR FILTER
TO TURBO**



**HYUNDAI-210 RADIATOR
HOSE PIPE BOTTOM**



**HYUNDAI-210 RADIATOR
HOSE PIPE BOTTOM NM
11N6-40110**



**HYUNDAI-R220-3-220-5
UPPER HOSE
11EM-42110**



EX-200 RADIATOR HOSE
PIPE TOP TD00715



EX-200 RADIATOR Z
TYPE HOSE TE00956



HOSE PIPE



EX-200 AIR INLET
HOSE PIPE
3814272



EX-200S TYPE HOSE
3814884



HOSE PIPE



HOSE PIPE



HOSE PIPE



EX-60 RADIATOR
PIPE BOTTOM
TC00573



EX-120 UPPER HOSE



EX-100 RADIATOR HOSE
PIPE TOP DOWN SIDE
TE 01093



EX-120 LOWER HOSE



HOSE PIPE



EX-210 RADIATOR
HOSE PIPE TOP
3072426



HOSE PIPE



HOSE PIPE



851 PERKINS RADIATOR
HOSE PIPE
BU3190162



851 PERKINS
RADIATOR HOSE PIPE
Bu3190160



120 LANDY RADIATOR
HOSE PIPE TOP



120 LANDY RADIATOR
HOSE PIPE BOTTOM



HOSE PIPE



INTER COOLER HOSE
BIG (BLACK)



DOZER-D65 RADIATOR
HOSE PIPE TOP
61801



DOZER-D65 RADIATOR
HOSE PIPE BOTTOM
61802

LANDY



HOSE PIPE



EX-210 RADIATOR
HOSE PIPE TOP
3072426



HOSE PIPE



HOSE PIPE



851 PERKINS RADIATOR
HOSE PIPE
BU3190162



851 PERKINS
RADIATOR HOSE PIPE
Bu3190160



120 LANDY RADIATOR
HOSE PIPE TOP



120 LANDY RADIATOR
HOSE PIPE BOTTOM



HOSE PIPE



INTER COOLER HOSE
BIG (BLACK)



DOZER-D65 RADIATOR
HOSE PIPE TOP
61801



DOZER-D65 RADIATOR
HOSE PIPE BOTTOM
61802



ALL TYPES OF OIL COOLER HOSES (2)



ALL SIZES WATER HOSE PIPE 1 MTR



ALL TYPES OF MAIN SUCTION HOSES (2)



ALL TYPES OF OIL COOLER HOSES



ALL TYPES OF MAIN SUCTION HOSES



ALL TYPES OF OIL COOLER HOSE



CATERPILLAR-CAT-424 RADIATOR HOSE PIPE BOTTOM 2388902



CATERPILLAR-320(D) RADIATOR HOSE PIPE TOP 2388901



CAT-320C RADIATOR HOSE (SMALL)



CAT-320C RADIATOR HOSE LOWER (BIG)



CATERPILLAR-320 (D) RHP TOP 1747147



CAT-320C RADIATOR UPPER (MEDIUM)

ALL TYPES

CATERPILLAR



**I&T-770 EX(FIAT)
RADIATOR HOSE INLET
84588984**



**L&T-770 EX (FIAT)
AIR INTAKE CHARGE
84589628**



**L&T-770 EX (FIAT)
RADIATOR HOSE OUT
84588985**



**L&T-770 EX (FIAT)
RADIATOR HOSE OUTLET
84588985**



**L&T-770EX (FIAT)
RADIATOR HOSE PIPE
47495600**



**L&T-770 RADIATOR
HOSE PIPE TOP
BU 3190337**



**L&T-770 EX (FIAT)
RADIATOR HOSE PIPE
47495600**



**100-I MAIN SUCTION
HOSE**



**OIL HOSE PIPES
ALL 2 MTRS**



**60-I RADIATOR HOSE
PIPE BOTTOM
3031373**



HOSE PIPE



60-II AIR HOSE PIPE



**EX-400 TRACK
ADJUSTER KITS**



**EX-100 TRACK
ADJUSTER KIT**



**EX-200 TRACK CHAIN
LINK WASHER (P)**



**EX-200 TRAVEL DEVICE
GROUP SEAL O RING-
4514259**



4150683/84



**EX-200-300 DUST
SEALS**



**EX-60&100 TRACK CHAIN
LINK WASHER**



**EX-300 BUCKET O RING-
4100180 EX-350-370
BUCKET O RING NUT BOLT
TYPE**



**EX-300-ZAXIS-330-350
TRACK CHAIN LINK
WASHERS**



**EX-200 MAIN PUMP
PACKING (SET OF 2)
8044104**



**KOBELCO TRACK
CHAIN LINK WASHER**



CAT-330 BUCKET O RING



**PC 300 DUST SEAL
72120**



**PC-200-6 BUCKET O
RING**



**PC-200-6 ALL TYPES OF
DUST SEALS**



DUST SEAL 110 OD X 90 ID



**DUST SEAL 135 OD X 110
ID**



**DUST SEAL 125 OD X
110 ID**



**HM LOADER PUMP
GASKET (SET OF 3)**



**EX-60 PILOT LEVER
SEALS**



**DUST SEAL 140 OD X 110
ID**



DOZER DUST SEAL (PU)



**HM LOADER DUST
SEAL SMALL**



JCB-380 DIAPHRAGM



RUBBER RING 790



RUBBER RING 800



RUBBER RING 850




RUBBER RING 400



EX-60 TRACK ADJUSTER KIT



EX-60 DUST SEALS KIT




EX-60 100-200 PILOT LEVER SEAL KIT




EX-60 CENTER JOINT SEAL KIT TE02408




EX-60 CENTER JOINT BOOT-COVER CABIN BED BIG HOLE BUCKET O RING 4237801



JCB DAVID BROWN SEAL KIT WITH OIL SEAL



JCB CONTROL VALVE GREEN SEAL KIT PU WIPER (12+12)



JCB PARKER PUMP KIT WITH OIL SEAL



PC-130 DUST SEAL



**EX-100 OIL COOLER
COUPLING (R)OM CENTER
JOINT DUST SEAL
4195898**



**EX-100BUCKET O R
RUBBER & PU**



**EX-100 TRAVEL DEVICE
GROUP SEAL O RING
4179741**



**EX-100-200 OIL COOLER
COUPLING (ALL)**



**PC-200-6 TRACK CH
LINK WASHER S.LI
D.LIP**



**PC-130 BUCKET
O RING RUBBER & PU**



**PC-300 BUCKET O RING
® & (PU)**



**CAT-320 DUST SEA
SMALL**



**60-II TRAVEL DEVICE
GROUP SEAL O RING**




60-I DUST SEAL



**JS-200-210 DUST SE
OD 00YID75**



**EX-70 RUBBER SUPPORT
ENGINE BED 4 BOLT**



**EX-60 RUBBER
SUPPORT 4 BOLT-
25250913306**



**ESCORT-HEM RUBBER
BUFFER PAD BIG**



**ESCORT HEM RUBBER
BUFFER PAD SMALL**



**HYUNDAI VIBRATING
RUBBER PAD**



**HYUNDAI-R-110 ENGINE
BED SMALL**



**HYUNDAI-6BT ENGINE
BED**



**HYUNDAI-R-80 ENGINE
BED SMALL**



**HYUNDAI-R-110 ENGINE
BED BIG**



DOZER CABIN BED



JCB CABIN BED



**DUMPER PAD ASSEMBLY
BIG MEDIUM & SMALL**



**ASHOK LEYLAND
GENERATOR ENGINE
BED**



**BOMAG RUBBER
BUFFER SMALL**



**BOMAG RUBBER BUFFER
PAD RECTANGLE
618011401**



**CASE-580 ENGINE
COUPLING 2 HOLE
4HOLE & 3 HOLE**



**60-I & II OIL TANK CAPS
& NOZEL RUBBERS**



**CAT-320 ENGINE BED
FRONT & REAR**



**EX-100 ENGINE
COUPLING 4 HOLE**




**EX-60 ENGINE
COUPLING 3 HOSE
4275308**



**CASE-580 3 HOLE
ENGINE COUPLING**



**EX-100-200 OIL TANK
CAP**



**EX-100-200 CABIN
MOUNTING
4155132**



**PC-200-6 ENGINE BED
BIG & SMALL**



**JD-315 ENGINE BED
FRONT & REAR &
CABIN BED**



120-II ENGINE BEDS



60-I & II ENGINE BEDS



**KOELCO-SK210 CABIN
BED LONG &
SHORT BOLT**



**KOBELCO-SK 210
ENGINE BED**



6 RBI ENGINE BED



**L&T COMPACTOR
ENGINE BED
752-1104**



**L&T RUBBER BUFFER
PAD ROUND SUITABLE
752-1104-1107**



**PC-300 ENGINE BED
SMALL**



PC-71 ENGINE BED



**EX-200-10 ISUZU
ENGINE BED**



**EX-100-200 ENGINE
BEDS FRONT & REAR**



PC-71 ENGINE BED



**DUMPER HM TEREX RUBBER
ROLL & TRANSMISSION
ENGINE BED**



PC-210 CABIN BED



**EX-100 CABIN BED
(SET OF 3)**



EX-200 CABIN BED NM



PC-130 CABIN BED



**TRACK MARCHING
LEVER GRIP**



**IR RUBBER BUFFER PAD O/M
(SQUARE)
ESCORTS/DYNAPAC 59600205**



**INGERSOL-RAND
RUBBER BUFFER PAD N/M
ROUND 13304780**



**KOBELCO-210 CENTER
JOINT BOOT-COVER**



**EX-60 AIR FILTER
ASSEMBLY COVER**



**IR RUBBER BUFFER PAD
N/M (ROUND)
13304780**



**JS-200-210 PILOT LEVER
LEVER BOOT**



60-I PILOT LEVER BOOT



**60-I CENTER JOINT
BOOT-COVER**



**EX-60 TRAVEL DEVICE
GROUP SEAL O RING
4082631**



**EX-100-200 PILOT LEVER
BOOT-2024493**



**EX-350-210-JIC CENTER
JOINT BOOT-COVER**



**PC-200-6 PILOT LEVER
BOOT BIG & SMALL**



**TMX-20 ENGINE BED
FRONT-BIG**



**TMX-20 ENGINE BED
REAR-SMALL**



**L&T CK170-300 ENGINE
FOUNDATION**



**CASE-580 2 HOLE
ENGINE MOUNTING**



**CASE-580 4 HOLE
FOUNDATION**



**IR COMPRESSOR ENGINE
COUPLING 1913- 1918
(450-600-SA-3)**



**IR COMPRESSOR ENGINE
COUPLING BUSH TYPE
CP-450-600-190-210**



**IR COMPRESSOR ENGINE
COUPLING BUSH TYPE**



**IR COMPRESSOR ENGINE
COUPLING K101011000R -
70702873 (1150 MODEL)**



**IR COMPRESSOR ENGINE
COUPLING LG 400-450**



**IR HEAVY COMPRESSOR
COUPLING (ECD-350)
IR-1150-1200 IR PA 415 ATC**



**IR COMPRESSOR
ENGINE COUPLING
70073986-103401000R**



**IR COMPRESSOR ENGINE
COUPLING ISD-90 (M-88)**



**IR COMPRESSOR ENGINE
COUPLING ELGI 200-250
(2-2613XV)**



**IR COMPRESSOR
ENGINE COUPLING
08E26-SM 011**



**IR COMPRESSOR
ENGINE COUPLING
200/250 2/2613**



**COMPRESSOR COUPLING
LG-IR LG 1100-300
VNR-430**



**ATLAS CAPCO ENGINE
COUPLING OMX-
140175 (1615682500)**



**KIRLOSKAR ATLAS
CAPCO COUPLING
600-1200**



**KIRLOSKAR COUPLING
CENTA MAX-1600**



**L&T-450 RUBBER
BUFFER PAD**



**ATLAS ENGINE BED
BIG MEDIUM & SMALL**



**KAMAL RUBBER BUFFER
PAD**



**MAXMECH RUBBER
BUFFER PAD**



**ACE RUBBER BUFFER
PAD**



DOWEL RUBBER PAD



**PC-200-6 CABIN BED
BIG & SMALL**



**PC-200-6 OIL TANK CAP
BIG & SMALL**



**VOLVO PILOT LEVER
BOOT**



**ROCK BREAKER
DIAPHRAGM
MB-169**



**ROCK BREAKER
DIAPHRAGM
F-5 F-6**



**ROCK BREAKER JCB-HM-
390 DIAPHRAGM BIG &
SMALL**



**ROCK BREAKER TAMROCK
WEAR PAD**



**ROCK BREAKER TOOL PIN
RUBBER MZ BIG
3086011**



**ROCK BREAKER TOOL PIN
RUBBER SMALL**



**ROCK BREAKER CLAMP
RUBBER BIG 32 ID**




**ROCK BREAKER CLAMP
RUBBER SMALL 28 ID**



**ROCK BREAKER TOOL
PIN RUBBER ROUND BIG
NM**



**ROCK BREAKER TOOL
PIN RUBBER ROUND
SMALL NM**



RUBBER RING 780



RUBBER RING 400



**DD-90 IR SHOCK
MOUNTING**



JD-315 BOOM STOPPER



**GERMAN VIBROMAX
RUBBER BUFFER PAD**



**DYNAPACK RUBBER
BUFFER PAD SMALL**



**DYNAPAK RUBBER
BUFFER PADBIG**



**ROCK BREAKER
DIAPHRAGM FINE-20**



**ROCK BREAKER
DIAPHRAGM COMET
160D**



**ROCK BREAKER
DIAPHRAGM DEMO
6 INCH**



**ROCK BREAKER
DIAPHRAGM RHINO**



**ROCK BREAKER
DIAPHRAGM EXCA DRILL
(PU)**



**ROCK BREAKER
DIAPHRAGM**



**ROCK BREAKER
DIAPHRAGM INDUS-600**



**ROCK BREAKER
DIAPHRAGM A TYPE**



**ROCK BREAKER
DIAPHRAGM
MB 1000**



**ROCK BREAKER
DIAPHRAGM
FINE 34-35**



**ROCK BREAKER
DIAPHRAGM JCB HAMMER
MASTER BIG**



**ROCK BREAKER
DIAPHRAGM FARUKWA**



**ROCK BREAKER
DIAPHRAGM A TYPE F-12**



**ROCK BREAKER
DIAPHRAGM DEMO 8 INCH**



**ROCK BREAKER
DIAPHRAGM JCB HAMMER
MASTER 380(P)**



**ROCK BREAKER
DIAPHRAGM KRUPP 960**



**ROCK BREAKER
DIAPHRAGM IR**



**ROCK BREAKER
DIAPHRAGM JCB
HAMMER MASTER SMALL**



**ROCK BREAKER
DIAPHRAGM F-12**



RUBBER RING 400



RUBBER RING 600



**JS-200 DUST
SEAL BIG**



RUBBER RING 300



LEVER GRIP BIG



LEVER GRIP SMALL



**LEVER GRIP BIG
HORN TYPE**



**PC-200-6 SWING
BEARING SEAL INNER-
OUTER**



**PC-71 SWING BEARING
SEAL INNER-OUTER**



**PC-200-6 SWING
BEARING SEAL INNER-
OUTER**



**PC-71 SWING BEARING
SEAL INNER-OUTER**



**KOBELCO-210 SWING
BEARING SEAL
INNER-OUTER**



HOSE PIPE



**EX-350 RADIATOR HOSE
PIPE TOP
9894234**



**EX-350 RADIATOR HOSE
PIPE TOP
2020489**



HOSE PIPE



**EX-210 ISUZU RADIATOR
HOSE PIPE TOP**



**EX-210 ISUZU RADIATOR
HOSE PIPE BOTTOM**



**EX-350 RADIATOR HOSE
PIPE TOP NM**



**EX-110 RADIATOR HOSE
PIPE BOTTOM DOWN SIDE
TD 00714**



**EX-110 RADIATOR HOSE
PIPE TOP TD01665**



**EX-210 RADIATOR HOSE
PIPE TOP
Td02136**



**EX-200 RADIATOR TO
WATER PUMP
TC00367**



**EX-200 RADIATOR HOSE
PIPE WATER OUTLET
TEO1876**



SANDHYA ENTERPRISES

5-24-1223/5/1, Ambedkar Nagar,
Gajularamaram, Hyderabad -500055.

AN ISO:9001:2015 Certified Company

Contact No:9652998932,9550921831,

GSTIN:36GNLPS1299P1ZS

PAN NO : GNLPS1299P

IEC : 916915042

AD Code : 05114228381149

E-mail : sandhyaprises@gmail.com

Visit Us : www.sandhyaflex.com